



YÜKSEKTE ÇALIŞMA İŞ GÜVENLİĞİ EKİPMANLARI





## **Contents :**

Safety Harness.....	4-8
Lanyards.....	10-14
Carabiners.....	16-18
Bags.....	20
Safety Nets.....	22-23

*Your Life  
will be  
your first.*






# RH-11T



Easy Adjustable Buckle



Easy use Automatic Buckle



For More Comfortable Working Elastic Webbing



Waist, Leg and Shoulder Pad For Ergonomic and Comfortable Working



Opposite Color And Without Error With Computer Sewing Machine




# FALL ARRESTER AND POSITIONING HARNESS

## RH-11T



**Standards:** EN358-EN361-EN813-EN12277

-For fast wearing with 4 pieces automatic buckle in leg and waist ,6 mm steel buckle adjust for different shoulder and waist length, 65g/m polyester webbing, 8mm steel D rings, Tool Ropes for carry equipment in waist region.


Standard production HL10 lanyard, HA125 carabiner, HA155, Harness Bag. Color Option 

## RH-11



**Standards:** EN358-EN361-EN813-EN12277


-For easy adjustable 6mm buckle in leg and waist ,6 mm steel buckle adjust for different shoulder and waist length, 65g/m polyester webbing, 8mm steel D rings, Tool Ropes for carry equipment in waist region.

Standard production HL10 lanyard, HA125 carabiner, HA155, Harness Bag. Color Option 




## FALL ARRESTER AND POSITIONING HARNESS

### RH-9



Standards EN358-EN361

-Steel **6 mm** buckle for easy adjustable in waist and leg, **8mm** steel D Rings, 2 ring for carry tool in waist. **10 mm** EVA Pad for comfortable working Produce with **65g/m** polyester weebing Standard product **HL10** lanyard, **HA125** carabiner, **HA157** harness bag


Color Option: 

### RH-9K



Standards EN358-EN361

-Steel **6 mm** buckle for easy adjustable in waist and leg, **8mm** steel D Rings, 2 ring for carry tool in waist. **10 mm** EVA Pad for comfortable working Produce with **65g/m** polyester weebing Standard product **HL10** lanyard, **HA125** carabiner, **HA157** harness bag

Color Option: 

## HB-5



### EN358

6 mm steel buckle for adjusting, **65g/m** polyester webbing, **8mm** steel D rings, two rings for carrying tools

Standard product: **HL10** lanyard, **HA125** carabiner. Color Option



## HB-7



### EN358

9 mm steel buckle for adjusting, **65g/m** polyester webbing, **9mm** steel D rings, two rings for carrying tools

Standard product: **HL10** lanyard, **HA125** carabiner.

# HM-101



Color Option:



# HM-102



Color Option:



# HM-103



Color Option:







## HL-10

One side with cringle 3 strand polyester knitting lanyard  
Lanyard Length: 1.2m, 1.5m, 2m  
EN-354



## HL-12

Two side with cringle 3 strand polyester knitting lanyard  
Lanyard Length: 1.2m, 1.5m, 2m  
EN-354



## HL-14

One side with cringle 3 strand polyester knitting lanyard with sheath  
Lanyard Length: 1.2m, 1.5m, 2m  
EN-354



## HL-16

Two side with cringle 3 strand polyester knitting lanyard with sheath  
Lanyard Length: 1.2m, 1.5m, 2m  
EN-354



## HL-18

3 Strand rope knitting with hook carabiner  
Lanyard Length: 1.2m, 1.5m, 2m  
EN-354, EN-362



## HL-20

3 Strand rope knitting with hook carabiner and shock absorber  
Lanyard Length: 1.2m, 1.5m, 2m  
EN-354, EN-362



## HL-22

3 Strand rope knitting with hook carabiner and sheath  
Lanyard Length: 1.2m, 1.5m, 2m  
EN-354, EN-362



## HL-24

3 Strand rope knitting with hook carabiner and shock absorber and sheath  
Lanyard Length: 1.2m, 1.5m, 2m  
EN-354, EN-362




## HL-26

3 Strand rope knitting with hook carabiner Double Lanyard  
Lanyard Length: 1.2m, 1.5m, 2m  
EN-354, EN-362




## HL-28

3 Strand rope knitting with hook carabiner and shock absorber Double Lanyard  
Lanyard Length: 1.2m, 1.5m, 2m  
EN-354, EN-362



## HL-30

3 Strand rope knitting with hook carabiner and sheath Double Lanyard  
Lanyard Length: 1.2m, 1.5m, 2m  
EN-354, EN-362



## HL-32

3 Strand rope knitting with hook carabiner and shock absorber and sheath Double Lanyard  
Lanyard Length: 1.2m, 1.5m, 2m  
EN-354, EN-362




## HL-34

Webbing Double lanyard with hook carabiner.  
Lanyard Length : 1.2m, 1.5m, 2m  
EN-354, EN-362



## HL-36

Webbing Double lanyard with hook carabiner and shock absorber.  
Lanyard Length : 1.2m, 1.5m, 2m  
EN-354, EN-362



## HL-38


Webbing lanyard with hook carabiner.  
Lanyard Length : 1.2m, 1.5m, 2m  
EN-354, EN-362



## HL-40

Webbing lanyard with hook carabiner and shock absorber.  
Lanyard Length : 1.2m, 1.5m, 2m  
EN-354, EN-362



Renk Seçenekleri: 

## HL-42

Anchorage Sling  
0.5m, 1m, 1.5m, 2m  
Color Option:



## HL-44

Anchorage Sling  
0.5m, 1m, 1.5m, 2m  
Color Option:



## HA-120



## HA-121

Shock Absorber  
EN-355





## HA-125



Screwed Steel Carabiner  
25 kN EN-362

## HA-127



Automatic Steel Carabiner  
25 kN EN-362

## HA-129



Screwed Aluminium Carabiner  
22 kN EN-362

## HA-131



Automatic Aluminium Carabiner  
22 kN EN-362



## HA-133



Steel Hook Carabiner  
25 kN EN-362

## HA-135



Steel Big Hook Carabiner  
25 kN EN-362

## HA-137



Aluminium Hook Carabiner  
22 kN EN-362

## HA-139



Steel Hook Carabiner  
25 kN EN-362

## HA-141



Rope Holder  
12-16mm  
EN-353-2

## HA-143



Steel Rope Holder  
8mm  
EN-353-1

## HA-145



Vertical Life Rope  
12-14-16mm  
EN-353-2

## HA-147



Static Rope  
12-14-16mm



# HA-151



Tool Bag  
1900 Denier Waterproof Impertes Texture  
Secret hole for Shoes  
60x35x30 cm

# HA-153



Tool Bag  
1900 Denier Waterproof Impertes Texture  
3 Hole  
60x5x30 cm

# HA-155



RH-11T, RH-11  
Harness Bag

# HA-159




Tool Back Bag  
1900 Denier Waterproof Impertes Texture  
640 lt

# HA-157



RH-9K, RH-9  
Harness Bag





# SAFETY NETS





İletişim:

Ostim 1163. Sk. No: 1/C Yenimahalle/ANKARA  
Tel: 0312 385 38 52 Fax: 0312 385 61 52  
GSM: 0553 641 01 56  
hunsafety@gmail.com

